

STRUCTURES	MECHANICAL ENTERPRISE	MECHANICAL PREMIUM	MECHANICAL PRO	AUTODYN	LS-DYNA	SHERLOCK	MOTION	FORMING PRO
VIBRATIONS								
Modal	●	●	●		●	●	●	
Modal - Pre-Stressed	●	●	●		●		●	
Modal - Pre-Damped/UnSymmetric	●	●					●	
Transient - Mode-Superposition	●	●	●		●	●		
Harmonic - Mode-Superposition	●	●	●		●	●		
Harmonic - Full	●	●	●		▲			
Spectrum	●	●	●		●			
Random Vibration	●	●	●		●	●		
Mistuning	●	●	●					
Multi-Stage Cyclic Symmetry	●							
Rotordynamics	●	●			●			
ACOUSTICS								
Modal Acoustics	●	●	●		●		●	
Harmonic Acoustics	●				●			
Transient Acoustics	●				●			
Boundary Element Method Acoustics					●			
Spectral Element Method Acoustics					●			
Statistical Energy Analysis Acoustics					●			
Piezoelectric Acoustics	●							
Generation of Acoustic Signature from Contact Regions	●				●		●	
Acoustics Element Library	●	●			●		●	
Acoustics Material Models	●	●			●			

1 = Ansys nCode DesignLife Products
2 = Ansys Fluent
3 = Ansys DesignXplorer
4 = Ansys SpaceClaim
5 = Ansys Customization Suite (ACS)
6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
7 = Ansys Granta Materials Data for Simulation
8 = Ansys Additive Suite
9 = Ansys Composite Cure Simulation
10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
11 = Ansys SPEOS
12 = Ansys SPEOS & Ansys SPEOS for NX
13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
DMP = Distributed-memory parallel
SMP = Shared-memory parallel
MAPDL = Mechanical APDL
Explicit = Autodyn
RBD = Rigid Body Dynamics
Aqwa = Aqwa

STRUCTURES	MECHANICAL ENTERPRISE	MECHANICAL PREMIUM	MECHANICAL PRO	AUTODYN	LS-DYNA	SHERLOCK	MOTION	FORMING PRO
WAVE HYDRODYNAMICS								
Diffraction and Radiation	●							
Frequency & Time Domain Motions Analysis	●							
Moorings, Joints & Tethers	●							
Internal Tanks	●							
Load Transfer to Structural Analysis	●							
ADDITIONAL PHYSICS								
1-D Thermal-Flow	●	●	●		●			
1-D Coupled-Field Circuits	●							
1-D Electromechanical Transducer	●							
MEMS ROM	●							
Piezoelectric	●				●			
Piezoresistive	●							
Electromagnetic	●							
Electro-Migration	●					●		
Diffusion-Pore-Fluid	●							
Diffusion-Thermal-Electric-Magnetic	●							
1-Way Fluid Structure Interaction	■ ²	■ ²	■ ²					
2-Way Fluid-Structure Interaction	■ ²			●	●			
Incompressible Fluid Dynamics (ICFD)					●			
Arbitrary Lagrangian Eulerian Method (ALE)					●			
Electromagnetics (EM) - Boundary Element Method (BEM)					●			
Multi-scale Modeling	●				●			
Conservation Element/Solution Element (CESE)					●			

1 = Ansys nCode DesignLife Products
2 = Ansys Fluent
3 = Ansys DesignXplorer
4 = Ansys SpaceClaim
5 = Ansys Customization Suite (ACS)
6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
7 = Ansys Granta Materials Data for Simulation
8 = Ansys Additive Suite
9 = Ansys Composite Cure Simulation
10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
11 = Ansys SPEOS
12 = Ansys SPEOS & Ansys SPEOS for NX
13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
DMP = Distributed-memory parallel
SMP = Shared-memory parallel
MAPDL = Mechanical APDL
Explicit = Autodyn
RBD = Rigid Body Dynamics
Aqwa = Aqwa

STRUCTURES	MECHANICAL ENTERPRISE	MECHANICAL PREMIUM	MECHANICAL PRO	AUTODYN	LS-DYNA	SHERLOCK	MOTION	FORMING PRO
COMPOSITE MATERIALS								
Material Definitions	●	●		●	●	●	●	
Ply Definitions	●	▲		●	●	●		
Interface Layers	●				●			
Advanced Ply-Modeling Features	●							
Variable Material Data	●				▲			
Solid Extrusion	●				●			
Lay-Up Mapping	●							
Draping	●							
Lay-Up Exchange Interfaces	●							
Advanced Failure Criteria Library	●				▲			
First-Ply Failure	●	●			●			
Last-Ply failure	●				●			
Delamination	●				●	▲		
Composite Cure Simulation	■ ^a				▲			
Sandwich Modeling	●				●			
Automation / Run Scripts	●				●			
Short Fiber Composites	●				●			

1 = Ansys nCode DesignLife Products
2 = Ansys Fluent
3 = Ansys DesignXplorer
4 = Ansys SpaceClaim
5 = Ansys Customization Suite (ACS)
6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
7 = Ansys Granta Materials Data for Simulation
8 = Ansys Additive Suite
9 = Ansys Composite Cure Simulation
10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
11 = Ansys SPEOS
12 = Ansys SPEOS & Ansys SPEOS for NX
13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
DMP = Distributed-memory parallel
SMP = Shared-memory parallel
MAPDL = Mechanical APDL
Explicit = Autodyn
RBD = Rigid Body Dynamics
Aqiva = Aqiva

STRUCTURES	MECHANICAL ENTERPRISE	MECHANICAL PREMIUM	MECHANICAL PRO	AUTODYN	LS-DYNA	SHERLOCK	MOTION	FORMING PRO
DURABILITY								
Stress-Life (SN)	●	●	●		●		●	
Strain-Life (EN)	●	●	●		●		●	
Dang Van	■	■	■		■			
Safety Factor	●	●	●		●		●	
Adhesive Bond	■	■	■		■			
Crack Growth Linear Fracture Mechanics	■	■	■		■			
Seam Weld	■	■	■		■			
Spot Weld	■	■	■		■			
Thermo-Mechanical Fatigue	■	■	■		■	▲		
Vibration Fatigue	■	■	■		■	●	●	
Virtual Strain Gauge Correlation	■	■	■		■			
Python Scripting Customization	■	■	■		■			
EXPLICIT DYNAMICS								
FE (Lagrange) Solver	●			●	●			
Euler Solvers				●	●			
Implicit-Explicit Material States	●			●	●			
Mass Scaling	●			●	●			
Natural Fragmentation	●			●	●			
Erosion Based on Multiple Criteria	●			●	●			
De-Zoning				●	●			
Part Activation and Deactivation (Multi Stage Analysis)				●	●			
Explicit Time Integration	●			●	●			

1 = Ansys nCode DesignLife Products
2 = Ansys Fluent
3 = Ansys DesignXplorer
4 = Ansys SpaceClaim
5 = Ansys Customization Suite (ACS)
6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
7 = Ansys Granta Materials Data for Simulation
8 = Ansys Additive Suite
9 = Ansys Composite Cure Simulation
10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
11 = Ansys SPEOS
12 = Ansys SPEOS & Ansys SPEOS for NX
13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
DMP = Distributed-memory parallel
SMP = Shared-memory parallel
MAPDL = Mechanical APDL
Explicit = Autodyn
RBD = Rigid Body Dynamics
Aqwa = Aqwa

STRUCTURES	MECHANICAL ENTERPRISE	MECHANICAL PREMIUM	MECHANICAL PRO	AUTODYN	LS-DYNA	SHERLOCK	MOTION	FORMING PRO
IMPLICIT DYNAMICS								
Implicit Time Integration	●	●			●	●	●	
GEOMETRIC IDEALIZATION								
Spring	●	●	▲	●	●		●	
Mass	●	●	●	●	●		●	
Damper	●	●		●	●		●	
Spar	●	●	●		●			
Beam	●	●	●	●	●		●	
Cable	●	●	●		●			
Pipe/Elbow	●	●	●					
Shell - Thin	●	●	●	●	●		●	
Layered Shell - Thin (Composite)	●	●		●	●			
Shell - Thick (Solid Shell)	●	●	●		●			
Layered Shell - Thick (Solid Shell) (Composite)	●	●	●		●			
2D Plane / Axisymmetric	●	●	●		●		●	
3D Solids	●	●	●		●		●	
Layered 3D Solids (Composite)	●	●	●		●			
Infinite Domain	●	●	●	●			●	
2.5D Elements	●	●	●					
Reinforcement Elements	●	●		●	●	■		
Coupled Field ROM Element Technology	●	●						
Iso-Geometric Analysis (IGA)					●			
GEOMETRY AND STL FILE HANDLING								
SpaceClaim Direct Modeler	●							

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa

/ STRUCTURES		MECHANICAL ENTERPRISE	MECHANICAL PREMIUM	MECHANICAL PRO	AUTODYN	LS-DYNA	SHERLOCK	MOTION	FORMING PRO
HPC - STRUCTURES									
Default Number of Cores	4 cores (DMP or SMP) MAPDL, 4 for Explicit, 4 for RBD, 4 for AQWA	4 cores (DMP or SMP) MAPDL, 4 for RBD	4 cores (DMP or SMP) MAPDL, 4 for RBD	4 cores (DMP or SMP)	4 cores	1 core	Default Number of cores based on machine being used	1 core	4 cores
Parallel Solving on Local PC and Cluster	●	●	●	●	●	●	●	●	▲
MAPDL GPU Offload Acceleration	■ ⁶	■ ⁶	■ ⁶	■ ⁶					
Ansys Cloud Support	MAPDL - Yes Explicit - No RBD - No AQWA - No	MAPDL - Yes RBD - No	MAPDL - Yes RBD - No	MAPDL - Yes		●			
Hybrid Parallel	●	●	●	●					
MATERIALS									
Basic Linear Materials (Linear, Anisotropic, Temperature Dependent)	●	●	●	●	●	●	●	●	
Basic Nonlinear Materials (Hyperelastic, Plasticity, Rate Independent, Isotropic, Concrete, Viscoelasticity)	●	●	●	▲	●	●	●	●	
Advanced Nonlinear Materials (Rate dependent, Anisotropic, Damage Models, Geomaterials, Multiphysics, Acoustics)	●				●	●			
Specialty Materials (Glass, Foam, Kevlar, Fabric, Biomechanic, Paper, Cardboard)	●					●		●	
Field Dependent	●	●	●	●					
Reactive Materials (Equations of State, High Explosives, Propellants)				●	●	●			
User Defined Materials	●			●	●	●	●	●	
Fracture Mechanics and Crack Growth	●					▲			
Materials Multiscale Homogenization	●					●			
Materials Database	■ ⁷	■ ⁷	■ ⁷	■ ⁷	■ ⁷	■ ⁷		■ ⁷	

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- AQWA = Aqwa

/ STRUCTURES	MECHANICAL ENTERPRISE	MECHANICAL PREMIUM	MECHANICAL PRO	AUTODYN	LS-DYNA	SHERLOCK	MOTION	FORMING PRO
MISCELLANEOUS AND USABILITY								
Ansys SpaceClaim	●	■ ⁴	■ ⁴	■ ⁴	■ ⁴		■ ⁴	
Ansys Customization Suite (ACS)	●							
Support ACT Extensions	●	●	●	●	●			
Journaling and Scripting	●	●	●			▲		
Command Snippet Support	●	●	●					
Batch run capability	●	●	●	●	●	●	●	
Read/Write 3rd Party Matrix CAE Data	●	●		●	●		●	
CDB and 3rd party FE Model Import	●	●	●	●	●		●	
Nastran Bulk File Export	●	●	●			●		
Direct Input of Nastran Bulk Data Files					●			
Pre-stressing from Nastran Linear Solution					●			
Global/Selective Mass Scaling	●			●	●			
Keyword Input	●	●	●		●			
Splitting of Input File into Subfiles	●	●	●		●			
User Subroutines	●			●	●		●	
Re-mapping	●			●	●			
Transmitting boundaries	●			●	●			
Dynamic Storage Allocation	●	●	●		●			
Extensive Output Data Controls (ascii/binary)	●	●	●		●			
Sense Switch Controls - Monitor Simulations Status	▲	▲	▲		●			
Interactive Real-Time Graphics	●	●	●	●	●			
Double Precision	●	●	●	●	●			

1 = Ansys nCode DesignLife Products
2 = Ansys Fluent
3 = Ansys DesignXplorer
4 = Ansys SpaceClaim
5 = Ansys Customization Suite (ACS)
6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
7 = Ansys Granta Materials Data for Simulation
8 = Ansys Additive Suite
9 = Ansys Composite Cure Simulation
10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
11 = Ansys SPEOS
12 = Ansys SPEOS & Ansys SPEOS for NX
13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
DMP = Distributed-memory parallel
SMP = Shared-memory parallel
MAPDL = Mechanical APDL
Explicit = Autodyn
RBD = Rigid Body Dynamics
Aqwa = Aqwa

STRUCTURES	MECHANICAL ENTERPRISE	MECHANICAL PREMIUM	MECHANICAL PRO	AUTODYN	LS-DYNA	SHERLOCK	MOTION	FORMING PRO
MODELING CAPABILITIES								
Contact - Linear	●	●	●	●	●		●	
Contact - Nonlinear	●	●	●	●	●		●	
Joints	●	●	●	●	●		●	
Seam Welds	●	●	●	●	●		●	
Spot Welds	●	●	●	●	●		●	
Element Birth and Death	●	●	●		●		●	
Gasket Elements	●				●			
Rezoning and Adaptive Remeshing	●				●			
Inverse Analysis	●							
MULTI ANALYSIS								
Submodeling	●	●	●		●	▲		
Data Mapping	●	●	●		●		●	
Multiphysics Data Mapping	●	●	▲				●	
Initial State	●	●		●	●		●	
Advanced Multi-Stage 2-D to 3-D Analysis	●	●						
NONLINEAR MULTI-BODY DYNAMICS								
Rigid Body Mechanisms	●	●			●		●	
Rigid Body Dynamics with CMS Components for Flexible Bodies	●						●	
Full Transient	●	●		●	●		●	
CMS with Substructuring	●						●	
Mixed Rigid - Flexible Systems	●	●	●	●	●		●	
Function Expression					●		●	
Drivetrain Creation							●	
Links							●	
Vehicle Dynamics					●		●	

1 = Ansys nCode DesignLife Products
2 = Ansys Fluent
3 = Ansys DesignXplorer
4 = Ansys SpaceClaim
5 = Ansys Customization Suite (ACS)
6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
7 = Ansys Granta Materials Data for Simulation
8 = Ansys Additive Suite
9 = Ansys Composite Cure Simulation
10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
11 = Ansys SPEOS
12 = Ansys SPEOS & Ansys SPEOS for NX
13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
DMP = Distributed-memory parallel
SMP = Shared-memory parallel
MAPDL = Mechanical APDL
Explicit = Autodyn
RBD = Rigid Body Dynamics
Aqwa = Aqwa

● Full Support ▲ Limited Capability ■ Requires more than 1 product

/ STRUCTURES	MECHANICAL ENTERPRISE	MECHANICAL PREMIUM	MECHANICAL PRO	AUTODYN	LS-DYNA	SHERLOCK	MOTION	FORMING PRO
OPTIMIZATION								
DesignXplorer included	●	●	●	■ ³	■ ³			
Parameters	●	●	●	●	●		●	
Design Point Studies	●	●	●	●	●			
Correlation Analysis	●	●	●	●				
Design of Experiments	●	●	●	●			●	
Sensitivity Analysis	●	●	●	●				
Goal Drive Optimization	●	●	●	●				
Six Sigma Analysis	●	●	●	●				
STRUCTURAL SOLVER CAPABILITIES								
Linear Static	●	●	●		●	●	●	
Nonlinear Static	●	●	●		●		●	
Pre-Stress Effect, Linear Perturbation	●	●	●	▲			●	
Nonlinear Geometry	●	●	●	●	●		●	
Buckling - Linear Eigenvalue	●	●	●		●		●	
Buckling - Nonlinear Post Buckling Behavior	●	●	●		●			
Buckling - Nonlinear Post Buckling Behavior - Arc Length	●	●	●					
Steady State Analysis Applied to a Transient Condition	●				●			
Advanced Wave Loading	●							
THERMAL								
Steady State Thermal	●	●	●		●			
Transient Thermal	●	●	●		●		●	
Conduction	●	●	●	●	●		●	
Convection	●	●	●		●			
Radiation to Space	●	●	●		●			
Radiation - Surface to Surface	●	●	●		●			
Phase Change	●	●	●	●	●			
Thermal Analysis of Layered Shells and Solids	●	●	●		●			

1 = Ansys nCode DesignLife Products
2 = Ansys Fluent
3 = Ansys DesignXplorer
4 = Ansys SpaceClaim
5 = Ansys Customization Suite (ACS)
6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
7 = Ansys Granta Materials Data for Simulation
8 = Ansys Additive Suite
9 = Ansys Composite Cure Simulation
10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
11 = Ansys SPEOS
12 = Ansys SPEOS & Ansys SPEOS for NX
13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
DMP = Distributed-memory parallel
SMP = Shared-memory parallel
MAPDL = Mechanical APDL
Explicit = Autodyn
RBD = Rigid Body Dynamics
Aqwa = Aqwa

● Full Support ▲ Limited Capability ■ Requires more than 1 product

/ STRUCTURES	MECHANICAL ENTERPRISE	MECHANICAL PREMIUM	MECHANICAL PRO	AUTODYN	LS-DYNA	SHERLOCK	MOTION	FORMING PRO
TOPOLOGY AND LATTICE OPTIMIZATION								
Structural Optimization	●	●	●					
Modal Optimization	●	●	●					
Thermal Loads	●	●	●					
Inertial Loads	●	●	●					
Optimized Design Validation	●	●	●					
Manufacturing Constraints	●	●	●					
Stress Constraints	●	●	●					
Symmetry	●	●	●					
Lattice Optimization	■ ^a							
Overhang/Additive Constraints	■ ^b							
PARTICLE METHODS								
Smooth Particle Hydrodynamics (SPH)				●	●			
Smooth Particle Galerkin (SPG)					●			
Corpuscular Particle Method (CPM)					●			
Discrete Element Method (DEM)					●			
AUTOMOTIVE								
Seat-belts - including modeling of accelerometer, pretensioner, retractor, sensor, and slip ring					●			
Inflator Models					●			
Airbag Fabric Constitutive Models					●			
Accelerometers					●			
Airbag Sensors					●			
Airbag Breakout					●			
Eulerian Deployment of Airbags					●			
Airbag Folder					●			
Unfolded Reference Geometry for Airbags					●			

1 = Ansys nCode DesignLife Products
2 = Ansys Fluent
3 = Ansys DesignXplorer
4 = Ansys SpaceClaim
5 = Ansys Customization Suite (ACS)
6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
7 = Ansys Granta Materials Data for Simulation
8 = Ansys Additive Suite
9 = Ansys Composite Cure Simulation
10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
11 = Ansys SPEOS
12 = Ansys SPEOS & Ansys SPEOS for NX
13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
DMP = Distributed-memory parallel
SMP = Shared-memory parallel
MAPDL = Mechanical/APDL
Explicit = Autodyn
RBD = Rigid Body Dynamics
Aqwa = Aqwa

STRUCTURES	MECHANICAL ENTERPRISE	MECHANICAL PREMIUM	MECHANICAL PRO	AUTODYN	LS-DYNA	SHERLOCK	MOTION	FORMING PRO
AUTOMOTIVE								
Dummy Positioner					●			
Side-Impact Dummy Special Damper					●			
Airbag Deployment					●			
METAL STAMPING								
Multi-Stage Forming Process Validation								●
Material Data Library and Management								●
Process Definition								●
Tool Setup and Preview								●
Drawbead Definition								●
Multiple Lancing Operation								●
Stamping Specific Post Processing (FLD, Formability Index, Wrinkling, Skidmark)								●

- 1 = Ansys nCode DesignLife Products
- 2 = Ansys Fluent
- 3 = Ansys DesignXplorer
- 4 = Ansys SpaceClaim
- 5 = Ansys Customization Suite (ACS)
- 6 = Ansys HPC, ANSYS HPC Pack or Ansys HPC Workgroup
- 7 = Ansys Granta Materials Data for Simulation
- 8 = Ansys Additive Suite
- 9 = Ansys Composite Cure Simulation
- 10 = Ansys SPEOS for NX & ANSYS SPEOS for Creo Parametric
- 11 = Ansys SPEOS
- 12 = Ansys SPEOS & Ansys SPEOS for NX
- 13 = Ansys CFD Pro - Ansys Fluent with a reduced set of capabilities
- DMP = Distributed-memory parallel
- SMP = Shared-memory parallel
- MAPDL = Mechanical APDL
- Explicit = Autodyn
- RBD = Rigid Body Dynamics
- Aqwa = Aqwa